












ISOTEX bloku tehniskie dati												
					** EPS+grafite	EPS+grafite	** EPS+grafite	EPS+grafite	** EPS+grafite	EPS+grafite	** EPS+grafite	EPS+grafite
Bloka nosaukums		HB 20	HB 25/16	HB 30/19	HDIII 30/7	HDIII 30/10	HDIII 33/10	HDIII 33/14	HDIII 38/14	HDIII 38/17	HDIII 44/20	HDIII 44/23
Bloka gabarīti: platums / augstums / garums	cm	20/25/50	25/25/50	30/25/50	30/25/50	30/25/50	33/25/50	33/25/50	38/25/50	38/25/50	44/25/50	44/25/50
Bloka svars	kg/gab.	5,7	10	10,6	10	10	10,3	10,3	11	11	15	15
Izolācijas biezums	cm		8	10	7	10	10	14	14	17	20	23
Apmestas sienas siltumvadītspējas koeficients	W/m ² K		0,79	0,680	0,30	0,24	0,23	0,19	0,18	0,15	0,12	0,115
Apmestas sienas siltumpretestība R	m ² K/W		1,27	1,47	3,33	4,17	4,35	5,26	5,56	6,67	8,33	8,70
Apmetuma sienas skaņas pretestība Rw	dB	54	56	55	54	52	54	52	54	52	53	51
Konstrukcijas dati												
Betona slāņa biezums	cm	12	16	19	15	12	15	12	15	12	15	12
Sienas masa	kg/m ²	310	382	445	392	332	395	335	400	340	432	372
Sienas ugunsdrošības klase		A2	A2	A2	A2	A2	A2	A2	A2	A2	A2	A2
Bloki	Gab./m ²	8	8	8	8	8	8	8	8	8	8	8
Betons	l/m ²	110	126	151	130	105	130	105	130	105	130	105
Armatūra	kg/m ²	2,5	3	3	3	3	3	3	3	3	3	3
Darba laiks bez betona sagatavošanas	min/m ²	45	45	45	45	45	45	45	45	45	45	45
Cena bez PVN par vienību	EUR/gab	3,36	3,88	4,74	5,54	5,89	6,06	6,53	7,42	7,78	8,41	8,69
Cena bez PVN par m ²	EUR/m ²	26,88	31,00	37,95	44,28	47,12	48,47	52,26	59,38	62,21	67,30	69,52

** BASF NEOPOR